

The FloorCrafter® upholds a long tradition of providing precision instruments to a craftsman's trade.

The FloorCrafter, engineered to be the most aggressive belt machine in the industry, is also designed to provide reduced vibration.

Its cutting ability gives the hardwood sanding professional the ability to increase production while achieving imperfection-free results. With the patented Dolly Transport system, the FloorCrafter is truly a unique and innovative approach to hardwood floor sanding.

# **FloorCrafter®**

Belt Sander

- Lighter overall weight
- Increased drum pressure
- Rigid frame for reduced vibrations
- Patented single tool level system
- Dolly Transport<sup>™</sup> system



The FloorCrafter® sets the bar for all other belt sanders.



# **A Proud History of Innovation and Integrity**

Since 1903, American and Clarke Sanders have been known as the workhorses of the hardwood floor industry. At Clarke American Sanders, innovation and ingenuity have become the words to live by.

The FloorCrafter® upholds a long tradition of providing precision instruments to a craftsman's trade.

The FloorCrafter was designed to meet the needs of the hardwood floor professional with an overall lighter machine, reduced vibration to assure reduced imperfections, and more aggressive cutting for increased production.

These benefits, combined with unmatched "out of the box" quality, provide the professional hardwood floor sander a product that works every time.





The Complete FloorCrafter Package - a unique and innovative approach to hardwood floor sanding.



The quick release drive belt tension system eases disassembly and storage.



The recessed drum door provides better air seal and eases abrasive installation and adjustments.





The patented Dolly Transport  $^{\text{\tiny{TM}}}$  system makes transporting the FloorCrafter to job sites easier than ever.



A unique transport platform bolts into vehicles for easy storage and transport.



The exclusive tool set provides all tools needed for routine set up and adjustments.



SPECIFICATIONS	FloorCrafter®
Part Number	07104A
Motor	6.5 hp peak / 4 hp continuous 208 - 230 V / 60 Hz 240 V / 50 Hz (3 hp / 2.2 kW)
Drum Size	8 in
Bag Capacity	4 ft³
Drum Pressure (3 Positions)	60, 70 80 lb
Wheels	Molded urethane tires - 4 in Caster - 3 in split-type
Power Cable	50 ft - 10-3 grey rubber covered
Transport	Dolly system with (4) 5 in rubber-tired wheels
Dimensions	35 x 14 x 37 in
Weight	200 lb
Shipping Weight	290 lb
Warranty	Parts & Labor - 1 Year

Specifications are subject to change without notice.



The significant drum pressure makes for a more aggressive cut.



The rigid frame allows for fewer vibrations and imperfections.

#### What does the FloorCrafter® do best?

- Aggressive cutting with lighter weight
- Easy transport with unique system
- Smooth operation with reduced vibration

### What are the safety features?

- Circuit breaker switch
- Rubbed cover power cable
- Tracking adjustment

## What are the accessories?

- Floor pads
- Extra tool kit



14600 21st Avenue North • Plymouth, MN 55447-3408 Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2 Phone: 800.668.8400 • Fax: 800.263.5111

©2009 Nilfisk-Advance, Inc. All rights reserved. P/N 10232A 8/09



A Nilfisk-Advance Brand www.americansanders.com