

# INSTRUMENT PROTECTION CAPS



| [www.sonitamedic.com.au](http://www.sonitamedic.com.au) |

■ EMAIL: [customers@sonitamedic.com.au](mailto:customers@sonitamedic.com.au)

■ PHONE: 1800 SONITA (766 482)

■ MOBILE: 0423 178 332

## SYDNEY :

Suite 242 / 60  
Walker St, North Sydney,  
NSW 2060

## MELBOURNE :

Suite 121 / 358 Clarendon St,  
South Melbourne,  
VIC 3205

## BRISBANE :

524 Old Bay Road  
Burpengary East,  
QLD 4505

## PERTH :

Suite 76 Ground Floor  
50, St Georges Terrace,  
Perth WA 6000

## SONTIA MEDIC INSTRUMENT PROTECTION

Instrument Tip Caps are designed to extend the life of your instruments.

Our tip caps protect your valuable instruments from unnecessary wear or damage, helping reduce repair costs while giving you the peace of mind that your instrument investment is being protected.

In addition to protecting and extending the life of your valuable instruments, tip caps also help to protect sterilization packs from puncture and protect employees from sharp instruments.

Available in a variety of shapes and sizes to fit all your instrument protection needs, we have the perfect tip cap for each of your various instruments – from skin hooks to scissors to scopes – and they are available with or without vents, depending on your preference.

Our tip caps are radiopaque, single use, sterilizable and not made with natural rubber latex. Instrument Sleeves are designed to protect various delicate instruments using an easy-to-fold design. Sleeves are single use, compatible with steam and gas plasma sterilization and not made with natural rubber latex.

Duraholder® Instrument Protection System (IPS) is available in several configurations to fit your instrument protection needs within a closed container or set.

Duraholders help you organize and prepare your various instruments for steam sterilization in one convenient pouch. Not made with natural rubber latex

- Round Caps
- Flat Caps
- Osteotome Caps
- Tapered Caps
- Scope Caps
- Skin Hook Caps
- Airflow Caps®
- Self-Retaining Retractor Caps
- Twin Caps
- Minimally Invasive Surgical (MIS) Instrument Caps
- Instrument Sleeves
- Duraholder Instrument Protection System (IPS)

# INSTRUMENT PROTECTION



## Instrument Protection – Round Caps

### ROUND CAPS

Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 100 caps per package.

	Number	Color	Details	Diameter inches	Length inches	Diameter mm	Length mm
A	3-01-01	white		.062"	.75"	1.6mm	19.1mm
B	3-02-01	white tint		.062"	.75"	1.6mm	19.1mm
C	3-03-01	clear		.062"	.75"	1.6mm	19.1mm
D	3-04-01	clear	with vents	.062"	.75"	1.6mm	19.1mm
E	3-08-01	white tint	with vents	.062"	.75"	1.6mm	19.1mm
F	3-15-01	white	with vents	.062"	.75"	1.6mm	19.1mm
G	3-01-02	blue		.078"	.75"	2.0mm	19.1mm
H	3-02-02	blue tint		.078"	.75"	2.0mm	19.1mm
I	3-03-02	clear		.078"	.75"	2.0mm	19.1mm
J	3-04-02	clear	with vents	.078"	.75"	2.0mm	19.1mm
K	3-08-02	blue tint	with vents	.078"	.75"	2.0mm	19.1mm
L	3-15-02	blue	with vents	.078"	.75"	2.0mm	19.1mm
M	3-01-03	green		.109"	.75"	2.8mm	19.1mm
N	3-02-03	green tint		.109"	.75"	2.8mm	19.1mm
O	3-03-03	clear		.109"	.75"	2.8mm	19.1mm
P	3-04-03	clear	with vents	.109"	.75"	2.8mm	19.1mm
Q	3-08-03	green tint	with vents	.109"	.75"	2.8mm	19.1mm
R	3-15-03	green	with vents	.109"	.75"	2.8mm	19.1mm
S	3-01-04	red		.125"	1"	3.2mm	25.4mm
T	3-02-04	red tint		.125"	1"	3.2mm	25.4mm
U	3-03-04	clear		.125"	1"	3.2mm	25.4mm
V	3-04-04	clear	with vents	.125"	1"	3.2mm	25.4mm
W	3-08-04	red tint	with vents	.125"	1"	3.2mm	25.4mm
X	3-15-04	red	with vents	.125"	1"	3.2mm	25.4mm
Y	3-01-05	yellow		.187"	1"	4.7mm	25.4mm
Z	3-02-05	yellow tint		.187"	1"	4.7mm	25.4mm
AA	3-03-05	clear		.187"	1"	4.7mm	25.4mm
BB	3-04-05	clear	with vents	.187"	1"	4.7mm	25.4mm
CC	3-08-05	yellow tint	with vents	.187"	1"	4.7mm	25.4mm
DD	3-15-05	yellow	with vents	.187"	1"	4.7mm	25.4mm
EE	3-01-06	purple		.406"	.75"	10.3mm	19.1mm
FF	3-02-06	purple tint		.406"	.75"	10.3mm	19.1mm
GG	3-03-06	clear		.406"	.75"	10.3mm	19.1mm
HH	3-04-06	clear	with vents	.406"	.75"	10.3mm	19.1mm
II	3-08-06	purple tint	with vents	.406"	.75"	10.3mm	19.1mm
JJ	3-15-06	purple	with vents	.406"	.75"	10.3mm	19.1mm
KK	3-04-98	clear	with vents	.155"	.71"	3.9mm	18.0mm
LL	3-04-99	clear	with vents	.187"	1.50"	4.7mm	38.1mm
MM	3-05-27	red		.312"	1.50"	7.9mm	38.1mm

# INSTRUMENT PROTECTION



# INSTRUMENT PROTECTION

## FLAT CAPS

Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 100 caps per package.

	Number	Color	Details	Width inches	Length inches	Width mm	Length mm
A	3-01-07	orange		.375"	1"	9.5mm	25.4mm
B	3-02-07	orange tint		.375"	1"	9.5mm	25.4mm
C	3-03-07	clear		.375"	1"	9.5mm	25.4mm
D	3-04-07	clear	with vents	.375"	1"	9.5mm	25.4mm
E	3-08-07	orange tint	with vents	.375"	1"	9.5mm	25.4mm
F	3-15-07	orange	with vents	.375"	1"	9.5mm	25.4mm
G	3-01-08	brown		.625"	1"	15.9mm	25.4mm
H	3-02-08	brown tint		.625"	1"	15.9mm	25.4mm
I	3-03-08	clear		.625"	1"	15.9mm	25.4mm
J	3-04-08	clear	with vents	.625"	1"	15.9mm	25.4mm
K	3-08-08	brown tint	with vents	.625"	1"	15.9mm	25.4mm
L	3-15-08	brown	with vents	.625"	1"	15.9mm	25.4mm
M	3-01-09	black		1"	1"	25.4mm	25.4mm
N	3-02-09	black tint		1"	1"	25.4mm	25.4mm
O	3-03-09	clear		1"	1"	25.4mm	25.4mm
P	3-04-09	clear	with vents	1"	1"	25.4mm	25.4mm
Q	3-08-09	black tint	with vents	1"	1"	25.4mm	25.4mm
R	3-15-09	black	with vents	1"	1"	25.4mm	25.4mm
	3-08-100	assortment (1 package of each)					
		3-08-01, 3-08-02, 3-08-03, 3-08-04, 3-08-05, 3-08-06, 3-08-07, 3-08-08, 3-08-09, 3-08-11, 3-08-12, 3-08-13, 3-08-15, 3-08-17, 3-08-18, 3-08-19					

# INSTRUMENT PROTECTION




## OSTEOTOME CAPS

Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 100 caps per package.

	Number	Color	Details	Width inches	Length inches	Width mm	Length mm
A	3-03-11	clear		.25"	.75"	6.4mm	19.1mm
B	3-04-11	clear	with vents	.25"	.75"	6.4mm	19.1mm
C	3-08-11	white tint	with vents	.25"	.75"	6.4mm	19.1mm
D	3-03-12	clear		.375"	1"	9.5mm	25.4mm
E	3-04-12	clear	with vents	.375"	1"	9.5mm	25.4mm
F	3-08-12	blue tint	with vents	.375"	1"	9.5mm	25.4mm
G	3-03-13	clear		.50"	1"	12.7mm	25.4mm
H	3-04-13	clear	with vents	.50"	1"	12.7mm	25.4mm
I	3-08-13	green tint	with vents	.50"	1"	12.7mm	25.4mm
J	3-03-15	clear		.70"	1"	17.8mm	25.4mm
K	3-04-15	clear	with vents	.70"	1"	17.8mm	25.4mm
L	3-08-15	yellow tint	with vents	.70"	1"	17.8mm	25.4mm
M	3-03-09	clear		1"	1"	25.4mm	25.4mm
N	3-04-09	clear	with vents	1"	1"	25.4mm	25.4mm
O	3-08-09	black tint	with vents	1"	1"	25.4mm	25.4mm
P	3-04-17	clear	with vents	1.25"	1.25"	31.8mm	31.8mm
Q	3-08-17	purple tint	with vents	1.25"	1.25"	31.8mm	31.8mm
R	3-04-18	clear	with vents	1.50"	1.50"	38.1mm	38.1mm
S	3-08-18	red tint	with vents	1.50"	1.50"	38.1mm	38.1mm
T	3-04-19	clear	with vents	1.75"	1.25"	44.5mm	31.8mm
U	3-08-19	orange tint	with vents	1.75"	1.25"	44.5mm	31.8mm



# INSTRUMENT PROTECTION



## Instrument Protection – Tapered Caps

### TAPERED CAPS

Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 50 caps per package.

	Number	Color	Details	Diameter inches	Length inches	Diameter mm	Length mm
A	3-11-01	white tint	with vents	.08" to .12"	1.50"	2mm to 3mm	38.1mm
B	3-11-02	blue tint	with vents	.12" to .16"	1.50"	3mm to 4mm	38.1mm
C	3-11-03	green tint	with vents	.16" to .20"	1.50"	4mm to 5mm	38.1mm
D	3-11-04	red tint	with vents	.20" to .24"	1.50"	5mm to 6mm	38.1mm
E	3-11-05	yellow tint	with vents	.24" to .28"	1.50"	6mm to 7mm	38.1mm
F	3-11-06	purple tint	with vents	.28" to .31"	1.50"	7mm to 8mm	38.1mm
G	3-11-07	orange tint	with vents	.31" to .35"	1.50"	8mm to 9mm	38.1mm
H	3-11-08	brown tint	with vents	.35" to .39"	1.50"	9mm to 10mm	38.1mm
I	3-11-09	black tint	with vents	.39" to .43"	1.50"	10mm to 11mm	38.1mm
J	3-12-01	white tint	with vents	.08" to .12"	2"	2mm to 3mm	50.8mm
K	3-12-02	blue tint	with vents	.12" to .16"	2"	3mm to 4mm	50.8mm
L	3-12-03	green tint	with vents	.16" to .20"	2"	4mm to 5mm	50.8mm
M	3-12-04	red tint	with vents	.20" to .24"	2"	5mm to 6mm	50.8mm
N	3-12-05	yellow tint	with vents	.24" to .28"	2"	6mm to 7mm	50.8mm
O	3-12-06	purple tint	with vents	.28" to .31"	2"	7mm to 8mm	50.8mm
P	3-12-07	orange tint	with vents	.31" to .35"	2"	8mm to 9mm	50.8mm
Q	3-12-08	brown tint	with vents	.35" to .39"	2"	9mm to 10mm	50.8mm
R	3-12-09	black tint	with vents	.39" to .43"	2"	10mm to 11mm	50.8mm
S	3-13-03	green tint	with vents	.53" to .58"	1.50"	13mm to 14mm	38.1mm
T	3-13-05	yellow tint	with vents	.75" to .79"	1.50"	19mm to 20mm	38.1mm
U	3-13-07	orange tint	with vents	.83" to .87"	1.50"	21mm to 22mm	38.1mm
V	3-14-03	green tint	with vents	.53" to .58"	2"	13mm to 14mm	50.8mm
W	3-14-05	yellow tint	with vents	.75" to .79"	2"	19mm to 20mm	50.8mm
X	3-14-07	orange tint	with vents	.83" to .87"	2"	21mm to 22mm	50.8mm

# INSTRUMENT PROTECTION



## Instrument Protection – Scope, Skin Hook and Airflow Caps

### SCOPE CAPS

Protect scopes, camera connectors, eye pieces and distal ends. Radiopaque. Single use. Not made with natural rubber latex. Sterilizable.

	Number	Color	Diameter inches	Length inches	Diameter mm	Length mm	Quantity/pkg
A	3-05-02	blue tint	.187"	1.25"	4.7mm	31.8mm	50
B	3-05-06	purple tint	.375"	1.63"	9.5mm	41.3mm	50
C	3-05-07	orange tint	.500"	1.75"	12.7mm	44.5mm	50
D	3-05-28	navy	.437"	1"	11.1mm	25.4mm	100
E	3-05-29	navy	1.25"	.25"	31.8mm	6.4mm	100
F	3-05-30	navy	.156"	1"	4.0mm	25.4mm	100

### SKIN HOOK CAPS

Protect delicate single and double prong skin hook instrumentation. Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 100 caps per package.



	Number	Color	Details	Width inches	Length inches	Width mm	Length mm
G	3-10-01	clear	single prong, 2.5-3.5mm hook	.190"	.75"	4.8mm	19.1mm
H	3-10-02	clear	single prong, 5mm hook	.250"	.75"	6.3mm	19.1mm
I	3-10-03	clear	double prong, 2mm apart	.165"	.75"	4.1mm	19.1mm
J	3-10-04	clear	double prong, 5mm apart	.265"	.75"	6.7mm	19.1mm
K	3-10-05	clear	double prong, 7mm apart	.360"	.75"	9.1mm	19.1mm

### AIRFLOW CAPS

An alternative to vented caps, grips on the inside of the cap allow more airflow during sterilization process and assist in easy removal. Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 100 caps per package.

	Number	Color	Width inches	Length inches	Width mm	Length mm
L	3-16-05	clear	.187"	1"	4.7mm	25.4mm
M	3-16-06	clear	.406"	.75"	10.3mm	19.1mm
N	3-16-07	clear	.375"	1"	9.5mm	25.4mm
O	3-16-08	clear	.625"	1"	15.8mm	25.4mm
P	3-16-09	clear	1"	1"	25.4mm	25.4mm

# INSTRUMENT PROTECTION



## Instrument Protection – Self-Retaining Retractor Caps

### SELF-RETAINING RETRACTOR CAPS

Protect a variety of self-retaining retractors including Weitlaner, D'Errico-Adson, Beckman and Adson retractors. Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 100 caps per package.

	Number	Color	Width inches	Length inches	Width mm	Length mm
A	3-09-07	blue tint	.850"	.80"	21.6mm	20.3mm
B	3-09-08	purple tint	1"	1"	25.4mm	25.4mm
C	3-09-09	orange tint	1"	1.25"	25.4mm	31.8mm
D	3-09-10	green tint	1"	1.75"	25.4mm	44.5mm

### GELPI RETRACTOR CAPS

Protect a variety of Gelpi retractors. Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 100 caps per package.

	Number	Color	Diameter inches	Length inches	Diameter mm	Length mm
E	3-09-03	clear	.312"	1.50"	7.9mm	38.1mm
F	3-09-04	clear	.312"	2"	7.9mm	50.8mm
G	3-09-05	clear	.312"	2.50"	7.9mm	63.5mm



# INSTRUMENT PROTECTION



# INSTRUMENT PROTECTION

## Instrument Protection – Twin and MIS Caps

### TWIN CAPS

Protect instruments while keeping them in an open position for cleaning. Perfect for scissors and forceps. Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 50 caps per package.

	Number	Color	Details	Width inches	Length inches	Width mm	Length mm
A	3-06-01	white tint	with vents	.062"	.75"	1.6mm	19.1mm
B	3-06-02	blue tint	with vents	.078"	.75"	2.0mm	19.1mm
C	3-06-03	green tint	with vents	.109"	.75"	2.8mm	19.1mm
D	3-06-04	red tint	with vents	.125"	1"	3.2mm	25.4mm
E	3-06-05	yellow tint	with vents	.187"	1"	4.7mm	25.4mm
F	3-06-07	orange tint	with vents	.375"	1"	9.5mm	25.4mm
	3-06-50	assortment (1 package of each)	3-06-01, 3-06-02, 3-06-03, 3-06-04, 3-06-05, 3-06-07				

### MINIMALLY INVASIVE SURGICAL INSTRUMENT (MIS) CAPS

MIS Instrument Caps are designed to protect endoscopes, probes, veress needles and trocars during sterilization. Radiopaque. Single use. Not made with natural rubber latex. Sterilizable. 50 caps per package.

G	3-07-03	clear	with vents	.17"	1.13"	4.3mm	28.7mm
H	3-07-05	clear	with vents	.17"	2"	4.3mm	50.8mm
I	3-07-09	clear	with vents	.36"	2.60"	9.1mm	66mm



# INSTRUMENT PROTECTION




# INSTRUMENT PROTECTION

## Instrument Protection – Instrument Sleeves

### INSTRUMENT SLEEVES

Easy-to-fold protective sleeves conveniently protect your various delicate instruments during sterilization. Available in three versatile sizes. Single use. Not made with natural rubber latex. Compatible with steam and gas plasma sterilization. 1000 sleeves per package.

Number	Description	Width inches	Length inches	Width cm	Length cm
<b>A</b> CS-1010W	white paper, fits instruments up to 10mm wide	1"	3.5"	3cm	9cm
<b>B</b> CS-2025W	white paper, fits instruments up to 25mm wide	2"	6.3"	5cm	16cm
<b>C</b> CS-3050W	white paper, fits instruments up to 50mm wide	3"	8.8"	8cm	22cm



MEDICAL

PHONE:

1800 SONITA (766 482)

MOBILE:

0423 178 332

SONITA MEDIC SURGICAL

EMAIL: [customers@sonitamedic.com.au](mailto:customers@sonitamedic.com.au)

WEB: [www.sonitamedic.com.au](http://www.sonitamedic.com.au)

SUPPLIES

OFFICE'S in:


• SYDNEY

• MELBOURNE


• BRISBANE

• PERTH


# INSTRUMENT PROTECTION




A




B



CAN BE CUT AT SEALED SEAMS FOR THREE INDIVIDUAL PIECES.



C



D

INSTRUMENTS  
SOLD SEPARATELY

# INSTRUMENT PROTECTION

## Instrument Protection – Duraholder IPS

### DURAHOLDER® INSTRUMENT PROTECTION SYSTEM (IPS)

Designed to help protect and organize your delicate surgical instruments within a wrapped set or container system. Available in six pouch configurations. Single use. Not made with natural rubber latex. Sterilizable. Case of 100.

Number	Details	Width inches	Length inches	Width cm	Length cm
<b>A</b> CS-DH100	2 rows of 6 pockets	10"	18"	25cm	46cm
<b>B</b> CS-DH102	2 rows of 6 pockets with slots in pocket	12"	18"	30cm	46cm
<b>C</b> CS-DH200	2 rows of 6 notched pockets with tape closure strips	10"	18"	25cm	46cm
<b>D</b> CS-DH300	2 rows of 6 pockets	16"	18"	41cm	46cm
<b>E</b> CS-DH505	single pocket	5"	5"	13cm	13cm
<b>F</b> CS-DH512	single pocket	5"	12"	13cm	30cm

